## References

- Amman, G.D. 1990. Bark beetle-fire associations in the Greater Yellowstone area. Pp. 313-327 in : Fire and the Environment: Ecological and Cultural Perspectives. USDA Forest Service. Southeastern Experiment Station. General Technical Report SE-69.
- Anderson, H.E. 1982. Aids to determining fuel models for estimating fire behavior. USDA Forest Service. Intermountain Forest and Range Experiment Station. General Technical Report INT-122. 22 pp.
- Anonymous A (no date). The Civilian Conservation Corps: March 13, 1933-June, 5, 1942. <a href="http://members.aol.com/">http://members.aol.com/</a> <a href="http://members.aol.com/">http
- Anonymous B (no date). Civilian Conservation Corps. http://www.dnr.state.md.us/publiclands/ccchistory.html
- Anonymous C (1996). Lolo Trail Culturally Modified Tree Survey, Clearwater National Forest. Orofino, Idaho.
- Applegate, V., D. Atkins, G. Ford, D Berglund, J. Johnson, L. Kuennen, D. Leavell, D. Siruck, B. Wulf, and A. Zack. (1993). Biophysical classification of habitat groups and descriptions. USDA Forest Service. Northern Region. Internal Report. 17 pp.
- Armson, K.A. 1978. Forest Soils. University of Toronto Press. 390 pp.
- Baker, W.L.; Munroe, J.A.; A.E. Hessl. (1997). "The effects of elk on aspen in the winter range of Rocky Mountain National Park." Ecography 20(2): 155-165.
- Barney & Worth, Inc. (2001). Inland Northwest Economic Adjustment Strategy. Report prepared for Idaho Department of Commerce/Idaho Department of Labor/Idaho Rural Partnership.
- Bedunnah, R.J. (1992). "The complex ecology of weeds, grazing and wildlife." Western Wildlands 8(2): 6-11.
- Bjornn, T.C. and D.W. Reiser. (1991). Habitat requirements of salmonids in streams. In: Influences of Forest and Rangeland Management on Salmonid Fishes and Their Habitats. M.R. Meehan, editor. Bethesda, MD: American Fisheries Society Special Publications, pp. 83-138.
- Brinkman, K. A.; Roe, E. I. 1975. Quaking aspen: silvics and management in the Lake States. Agric. Handb. 486. Washington DC: USDA Forest Service.
- Brownell, V. R. and Catling, P. M. (1987). "Notes on the distribution and taxonomy of *Cypripedium fasciculatum* Kellogg ex Watson (Orchidaceae)." <u>Lindleyana</u> 2(1): 53-57.

Chadde, S. and Kudray, G. (2001). *Conservation Assessment of Botrychium simplex (Least Moonwort)*. Unpublished report for USDA Forest Service, Region 9.

- Chamberlin, T.W., R.D. Harr, and F.H. Everest. (1991). Timber harvesting, silviculture, and watershed processes. In: Influences of Forest and Rangeland Management on Salmonid Fishes and Their Habitats. W.R. Meehan, editor. Bethesda, MD: USDA Forest Service, pp. 181-205.
- Chong, G.W.; Simonson, S.E.; Stohlgren, T.J. and Kalkhan, M.A. (2001). *Biodiversity: Aspen stands have the lead, but will nonnative species take over?* USDA Forest Service Proceedings RMRS-P-18.
- Christy, J.A. and Harpel, J.S. (1997). "Rare bryophytes of the Columbia River Basin and Northern Great Basin, U.S.A." <u>Journal of the Hattori Botanical Lab</u>. 82:61-75.
- Civilian Conservation Corps (1936). *The Lewis-Clark Broad Axe*: 1935-1936. Lewiston, Idaho. Lewiston District Civilian Conservation Corps.
- Cochrell, Albert N. (1970). *A History of the Nez Perce National Forest*. U.S. Department of Agriculture. Forest Service. Missoula, Montana.
- Cohen, Stan (1980). <u>The Tree Army: A Pictorial History of the Civilian Conservation Corps,</u> 1933-1942. Missoula, Montana: Pictorial Histories Publishing Company.
- Cole W.E. and G. D. Amman. 1980. Mountain pine beetle dynamics in lodgepole pine forests. Part I: Course of an infestation. USDA Forest Service. Intermountain Forest and Range Experiment Station, Ogden, UT, Gen. Tech. Rept. INT-89, 56 pp.
- Cooper, S.V.; Neiman, K.E.; and Roberts, D.W. (1991). Forest habitat types in northern Idaho: a second approximation. Gen. Tech. Rep. INT-236. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station.
- Copeland, J.P. (1996). Biology of the wolverine in central Idaho. MS Thesis, University of Idaho, Moscow, ID.
- Cowardin, L.M.; Carter, V.; Golet, F. and LaRoe, E. (1979). *Classification of Wetlands and Deepwater Habitats of the United States*. U.S. Fish and Wildlife Service.
- Crawford, R. C. (1980). Ecological investigations and management implications of six northern Idaho endemic plants on the proposed endangered and threatened lists. Unpublished MS Thesis. University of Idaho, Moscow ID.
- Crawford, R.C. (1983). Pacific Yew community ecology in North-central Idaho with implications to forest land management. PhD Dissertation. College of Forestry, Wildlife and Range Science, University of Idaho, Moscow.
- Crum, H.A. and Anderson, L.E. (1981). Mosses of Eastern North America Volume II. Columbia University Press, New York.

Daubenmire, R. (1981). "Subalpine Parks Associated with Snow Transfer in the Mountains of Northern Idaho and Eastern Washington." <u>Northwest Science</u> 55(2): 124-135.

- Dean, Jeffrey S. (1995). Analysis of cores from 48 scarred and unscarred trees from the Clearwater National Forest in north central Idaho Tucson. The University of Arizona.
- DeByle, N. V. 1981. *Songbird populations and clearcut harvesting of aspen in northern Utah*. Res. Note INT-302. Ogden, UT: USDA, FS, Intermountain Forest and Range Experiment Station.
- Elsensohn, Sister M. Alfreda. (1965). <u>Pioneer Days in Idaho County</u>, Volume One. Cottonwood, Idaho. The Idaho Corporation of Benedictine Sisters.
- FEMAT. (1994). Record of decision for amendments to Forest Service and Bureau of Land Management planning documents within the range of the northern spotted owl.

  Appendix A. Forest Ecosystem Management Assessment Team. USDA Forest Service, Portland, Oregon.
- Ferguson, D.E. (1991). <u>Investigations on the grand fir mosaic ecosystem of northern Idaho</u>. PhD dissertation. University of Idaho, Moscow.
- Ferguson and Johnson (1996). *Classification of Grand Fir Mosaic Habitats*. USDA Forest Service, Intermountain Research Station.
- Fight, R.D., L.E. Kruger, C. Hansen-Murray, A. Holdenk, and D. Bays. (2000). Understanding human uses and values in watershed analysis. General Technical Report PNW-GTR-489. Portland, Oregon: USDA Forest Service, Pacific Northwest Research Station.
- Forcella, F. and Harvey, S.J. (1990). "Eurasian weed infestations in Western Montana in relation to vegetation and disturbance." Modrono 30(2): 102-109.
- Frissell, C.A. (1993). A new strategy for watershed restoration and recovery of Pacific salmon in the Pacific Northwest. Report prepared for the Pacific River Council. Eugene, Oregon.
- Garrison, M.T. and J.A Moore. 1998. Nutrient management: a summary and review.

  Intermountain Forest Tree Nutrition Cooperative. Supplemental Report 98-5. 48 pp.
- Goggans, R., R.D. Dixon, and L.C. Seminara. (1988). Habitat use by three-toed and black-backed woodpeckers, Deschutes National Forest, Oregon. Nongame Project Number 87-3-02, Oregon Department of Fish and Wildlife.
- Golden, Randy (no date). Civilian Conservation Corps. http://ngeorgia.com/feature/ccc.html
- Gordon, N.D., T.A. McMahon, and B.L. Finlayson. (1992). Stream Hydrology: An Introduction for Ecologists. New York: John Wiley.
- Green, P., J. Joy, D. Sirucek, W. Hann, A. Zack, and B. Naumann. 1992. Old-growth forest types of the Northern Region. USDA Forest Service. R-1 SES 4/92. 60 pp.
- Greenlee, J. (1997). *Cypripedium fasciculatum Conservation Assessment*. USDA Forest Service, Region 1, Lolo National Forest. Missoula MT.

Hagle, S.K., Tunnock, S., Gibson, K.E., Gilligan, C.J. 1987. Field guide to diseases and insect pests of Idaho and Montana forests. USDA Forest Service. State and Private Forestry. Northern Region. 123 pp.

- Hagle, S.K., J.W. Schwandt, T.L. Johnson, S.J. Kegley, C.S. Randall, J.E. Taylor, I.B. Lockman, N.J. Sturdevant. 2002. Succession functions of forest pathogens and insects. USDA Forest Service. Northern Region. Forest Health protection FHP Report No. 00-11. 262 pp.
- Hahn, W.J. and S.K. Hagle. (1993). Landscape ecology and management for forest health. In: Forest Health in the Inland West: A Symposium. June 1-3, 1993. Boise, Idaho. University of Idaho. Pg. 50.
- Hancock, J.A. and Brassard, G.R. (1974). "Phenology, Sporophyte Production, and Life History of *Buxbaumia aphylla* in Newfoundland Canada." <u>The Bryologist</u> 77: 501-513.
- Hanski, I. (1996). Metapopulation dynamics: from concepts and observations to predictive models. In: Metapopulation Biology: Ecology, Genetics, and Evolution. A. Hanskil and M.E. Gilpin, Editors. New York: Academic Press, pp. 69-91.
- Harrod, R.J.; Knecht, D.E.; Kuhlmann, E.E.; Ellis, M.W. and Davenport, R. 1997. *Effects of the Rat and Hatchery Creek fires on four rare plant species*. Pages 311-319 in: Proceedings Fire Effects on Rare and Endangered Species and habitats Conference, Nov. 13-16, 1995, Coeur d'Alene, ID. International Association of Wildland Fire, Fairfield, WA.
- Hayward, G.D., T.Holland, and R. Escano as revised by N. Warren, C. Crocker-Bedford, T.
   Holland, T. Kombererc, D. Sasse, L. Saunders-Ogg, and B.Shuster. (1990). Goshawk relationships. In: Old-growth Associated Wildlife Species in the Northern Rocky Mountains. N.M. Warren, editor. USDA Forest Service. R1-90-42, pp. 19.
- Helm, W.T., editor. (1985). Aquatic Habitat Inventory: Glossary and Standard Methods. American Fisheries Society, Western Division. Bethesda, Maryland.
- Hessburg, P. and J. K. Agee. 2002. In press: An environmental narrative of Inland Northwest United States Forests, 1800-2000.
- Hobbs, R. J. and L.F. Heunneke. (1992). Disturbance, diversity, and invasion: implications for conservation. Conservation Biology. Volume 6, Number 3. Pp. 324-337
- Hutto, R.L. 1995. Composition of bird communities following stand-replacement fires in Northern Rocky Mountain (U.S.A.) Coniferous Forests. Conservation Biology Volume 9, No. 5, October 1995.
- Idaho Conservation Data Center. (2000). Rare Animals. <a href="http://www2.state.id.us/fishgame/animal.htm">http://www2.state.id.us/fishgame/animal.htm</a>.
- Idaho Conservation Data Center. (2001). Element Occurrence Data and Records.
- Idaho Conservation Data Center. 2002. Element occurrence records.
- Idaho Public Television (no date).

  http://www.idahoptv.org/outdoors/shows/ccc/idaho/idprojects.html

Idaho State Conservation Effort...the fisher (Martes pennanti) in Idaho; Habitat Conservation Assessment (HCA). (1995). Idaho Department of Fish and Game, Boise, ID.

- Interagency Lynx Committee. (1999). Lynx Habitat, Field Reference Notebook. Washington Department of Natural Resources. Olympia, WA.
- Johnson, D.H. and T.A. O'Neil, managing directors. (2001). Wildlife-Habitat Relationships in Oregon and Washington. Oregon University Press, Corvalis, OR.
- Johnson-Groh, C.L. (1999). Population ecology of Botrychium (moonworts), status report on Minnesota Botrychium permanent plot monitoring. Dept. of Biology, Gustavus Adolphus College, St. Peter, MN.
- Johnson-Groh, C.L. and Farrar, D. (1989). *Ecological monitoring of Botrychium campestre and a new species of Botrychium in western Minnesota*. Unpublished report on file at: Idaho department of Fish and Game, Conservation Data Center, Boise, ID.
- Johnson-Groh, C.L. and Farrar, D. (1996). "The effects of fire on prairie moonworts (*Botrychium* subgenus *Botrychium*)." <u>Am. J. Botany</u> 83(Supple.): 134.
- Jones, J.A., F.J. Swanson, B.C. Wemple, and K.U. Snyder. 2000. Effects of roads on hdyrology, geomorphology, and disturbance patches in stream networks. Conservation Biology. Volume 14, No. 1, Pp. 76-85
- Jones, J.L. 1991 Habitat use of fisher in north central Idaho. MS Thesis, University of Idaho, Moscow, ID.
- Josephy, Jr., Alvin M. (1979). <u>The Nez Perce Indians and the Opening of the Northwest.</u> Abridged Edition. Lincoln. University of Nebraska Press.
- Kaminski, T. and J. Hansen. (1984). Wolves of Central Idaho. Montana Coop. Wildlife Research Unit.
- Keating, Linnea (1983). Brief History of Public Works Programs on the Clearwater National Forest. Orofino, Idaho. Clearwater National Forest.
- Kelly, D. (1994). "Demography and conservation of *Botrychium australe*, a peculiar sparse mycorrhizal fern." N.Z. J. Bott. 32:393-400.
- Kennedy, G.G. (1895). "Buxbaumia aphylla L." <u>Bulletin of the Torrey Botanical Club</u>. Volume 22: 50-51.
- Kline, David; Kline, Kay (2001). Civilian Conservation Corps. Columbia County Historical and Genealogical Society, Bloossburg. <a href="http://www.colcohist-gensoc.org/Essays/civilian">http://www.colcohist-gensoc.org/Essays/civilian</a> conservation corps.htm
- Koehler, G.M. and J.D. Brittell. (1990). Managing spruce-fir habitat for lynx and snowshoe hares. Journal of Forestry, 88: 10-14.

Koehler, G.M. (1991). Snowshoe hares, Lepus americanus, use of forest successional stages and population change during the 1985-1989 in north central Washington. Canadian Field-Naturalist 105:291-293

- Koponen, T. (1973). "Rhizomnium (Mniaceae in North America." Annales Botanici Fennici 10:1-26.
- Kovalchick, B. L. 1987. Riparian zone associations: Deshutes, Ochoco, Fremont, and Winema National Forest. R6 ECOL TP-279-87. Portland, OR: USDA Forest Service, Pacific Northwest Region.
- Laaka, S. (1992). The threatened epixylic bryophytes in old primeval forests in Finland. <u>Biological Conservation</u> 59:151-154.
- Laaka, S. and Syrjanen, K. (1990). "Notes on the distribution and ecology of a threatened moss, Buxbaumia viridis (DC,) Moug. & Nestl., in Finland." Memoranda Soc. Fauna Flora Fennica 66:108-11.
- Lacey, J.R.; Marlow, C.B. and Lane, J.R. (1989). "Influence of spotted knapweed (*Centaurea maculosa*) on surface runoff and sediment yield." Weed Technology 3: 627-631.
- Landres, P., P. Morgan, and F.J. Swanson. (1994). Overview of the use of natural variability concepts in managing ecological systems. Ecological Applications. Volume 9(4), pp. 1179-1188.
- Landres, P.B., P. Morgan, and F.J. Swanson. (1999). Overview of the use of natural variability concepts in managing ecological systems. Ecological Applications, 9(4), pp. 1179-1188.
- Lawton, E. (1971). Moss flora of the Pacific Northwest. Hattori Botanical Laboratory, Nichinan, Japan.
- Leege, T.A. (1984). Guidelines for evaluating and managing summer elk habitat in Northern Idaho. Wildlife Bulletin No. 11. Idaho Department of Fish and Game.
- Leiberg, John B. (1900). *Bitterroot Forest Reserve*. Northwest Books. Publications in the Earth Sciences.
- Loepold, A. 1949. A Sand County Almanac. Ballantine Books. 295 pp.
- Lichthardt, J.J. (1992). *Report on the Conservation Status of Mertensia bella (Oregon bluebells) in Idaho*. Idaho Dept. of Fish and Game, Conservation Data Center, Boise, ID.
- Lichthardt, J.J. (1995). Monitoring of Clustered Lady's Slipper Orchid (Cypripedium fasciculatum Kell. Ex Wats.) At Apgar Campground, Clearwater National Forest. Idaho Conservation Data Center, Unpublished Report.
- Lichthardt, J.J. (1999). Action Plan for sensitive plant species on the Clearwater National Forest (Draft). Report to the Clearwater National Forest SO, Orofino, ID. Idaho Dept. of Fish and Game, Conservation Data Center, Boise, ID.

Lichthardt, J.J. (2002). Conservation strategy for clustered lady's-slipper orchid (Cypripedium fasciculatum) in U.S. Forest Service Region 1. Idaho Dept. of Fish and Game, Conservation Data Center, Boise, ID.

- Lorain, C. (1990). Field investigations of Astragalus paysonii (Payson's milkvetch). Idaho Dept. of Fish and Game Conservation Data Center, Boise.
- Mahoney, R.L. (1981). <u>The effect of shade on western redcedar seedlings</u>. Ph.D. Dissertation. College of Natural Resources, University of Idaho, Moscow.
- McCune, B. and Geiser, L. (1997). Macrolichens of the Pacific Northwest: the first comprehensive guide to northwest macrolichens. Oregon State University Press, Corvallis.
- McKay, Kathryn L. (1996). Hidden Treasuer: Historical Overview of the Dixie Mining District, Idaho County, Idaho. Tracks of the Past. Columbia Falls, MT.
- McKay, Kathy (1998). Gold Point Mill National Register of Historic Places Registration Form. Tracks of the Past. Columbia Falls, MT.
- McKay, Kathy (1999). Wise'isskit, Southern Nez Perce Trail National Register of Historic Places Registration Form. Tracks of the Past. Columbia Falls, MT.
- McKelvey, K.S., K.B. Aubry, J.K. Agee, S.W. Buskirk, L.F. Ruggiero, and G.M. Koehler. (2000). Lynx conservation in an ecosystem management constext. In: Ecology and Conservation of Lynx in the United States. Colorado: University Press of Colorado and the USDA, Rocky Mountain Research Station, pp. 419-444.
- McLeod, C. Milo and Melton, Douglas (1986). *The Prehistory of the Lolo and Bitterroot Nationals Forests: an Overview.* USDA Forest Service, Northern Region. Lolo and Bitterroot National Forests.
- Michell, J.L. 1994. Commercial thinning of mature lodgepole pine to reduce susceptibility to mountain pine beetle. Forest Engineering Research Institute of Canada. Special Report No. SR-94. 20 pp.
- Mitchell, Victoria E.; Vance, Ruth E.; Bennett, Earl H. (1991). *Mines and Prospects of the Elk City Quadrangle, Idaho*. Second Edition. Mines and Prospects Map Series. Idaho Geological Survey. University of Idaho. Moscow.
- Moir, W.H. 1992. Ecological concepts in old-growth forest definition. In: Old-growth forests in the Southwest and Rocky Mountain regions. Proceedings of a workshop, March 9-13, 1992. Portal, Arizona. General Technical Report RM-213.
- Monnig, E. and J. Byler. (1992). Forest health and ecological integrity in the northern Rockies. USDA Forest Service. Northern Region. Forest Pest Management Report 92-7.
- Montgomery, J.D. (1990). "Survivorship and predation changes in five populations of *Botrychium dissectum* in eastern Pennsylvania." Am. Fern J. 80:173-182.

Morgan, P, Aplet, G., Gregory, H., Haufler, J.B. [and others]. 1994. Historical range of variability: a useful tool for evaluating ecosystem change. In: Sampson, Neil, Adams, D.L., eds. Historical range of variability: a useful tool for evaluating ecosystem change. In: Assessing Forest Ecosystem Health in the Inland West. Haworth Press, pp. 87-111.

- Morgan, P., S.C. Bunting, A.E. Black, T. Merrill, and S. Barrett. (1996). Fire Regimes in the Interior Columbia River Basin: Past and Present. Missoula, MT: University of Idaho, Departments of Forest and Range Resources and Systems for Environmental Management.
- Moseley, R.K. and Pitner, A. (1996). *Rare Bryophytes and Lichens in Idaho: Status of Our Knowledge*. Idaho Conservation Data Center, Boise.
- Murray, Sharon A. (nd). *The Mount Vernon Dredge*. Ms on file at Nez Perce National Forest Supervisor's Office. Grangeville.
- Natural Resources of Canada (2003). Forest Pests: western bark beetle.

  <a href="http://www.nrcan.gc.ca/cfs-scf/science/prodserv/pests/west\_balsam\_bark\_beetle\_e.html">http://www.nrcan.gc.ca/cfs-scf/science/prodserv/pests/west\_balsam\_bark\_beetle\_e.html</a>

  Natural Resources of Canada . 2003. Forest Pests: balsam woolly adelgid.

  <a href="http://www.nrcan.gc.ca/cfs-scf/science/prodserv/pests/balsam\_delgid\_e.html">http://www.nrcan.gc.ca/cfs-scf/science/prodserv/pests/balsam\_delgid\_e.html</a>
- Oregon Department of Forestry. 2000. Balsam woolly adelgid. Forest Health Note. 3 pp.
- Oregon Economic & Community Development Department. (no date). Grangeville, Idaho A Case Study for the Inland Northwest Economic Adjustment Strategy.

  <a href="http://www.econ.state.or.us/INNW\_grangeville.html">http://www.econ.state.or.us/INNW\_grangeville.html</a>
- Otis, Alison T.; William D. Honey; Thomas C. Hogg; Kimberly K. Lakin (1986). *The Forest Service and The Civilian Conservation Corps:* 1933-42. United States Department of Agriculture. Forest Service. FS-395.
- Paradis, W.J.; Lentz, H.S.; Mays, D.; Blair, S. and Lake, L. (1999). *South Fork Clearwater River Biological Assessment*. Nez Perce National Forest.
- Perala, D.A. (1990). *Populus tremuloides* Michx. *Quaking aspen*. In: <u>Silvics of North America:</u>
  <u>Volume 2, Hardwoods</u>. Agriculture Handbook 654. Washington, DC: USDA Forest Service.
- Pierce and Peek (from Newsome Eaws). "Moose habitat use and selection patterns in north/central Idaho." <u>Journal of Wildlife Management</u>, 48(4): 1335-1343.
- Pickett, S.T.A. and P.S. White. (1985). The Ecology of Natural Disturbance and Patch Dynamics. Academic press. 472 pp.
- Powell, R.A. 1993. The Fisher: Life History, Ecology and Behavior. 2d ed. Minneapolis, MN: University of Minnesota Press.

Quigley, T.M., R.W. Haynes, and R.T. Graham, editors. (1996). Integrated scientific assessment for ecosystem management in the Interior Columbia Basin and portions of the Klamath and Great Basins. Portland: USDA Forest Service, Pacific Northwest Research Station.

- Quigley, T.M. and S.J. Arbelbide, editors. (1997). An assessment of ecosystem components in the Interior Columbia Basin and portions of the Klamath and Great Basins. Portland: USDA Forest Service.
- Quigley, T.M., K.M. Lee, and S.J. Arbelbide, editors. (1997). Evaluation of EIS alternatives by the science integration team. Portland: USDA Forest Service, Pacific Northwest Research Station.
- Reed, John C. (1934). *Gold-Bearing Gravel of the NezPerce National Forest, Idaho County, Idaho*. Moscow, Idaho. University of Idaho and United States Geological Society. Pamphlet No. 40.
- Reynolds, R.T., G.T. Graham, M.H. Reiser, R.L. Bassett, P.L. Kennedy, D.A. Boyce, G. Goodwin, R. Smith, and E.L. Fisher. (1991). Management recommendations for the northern goshawk in the southwestern United States. USDA Forest Service Report.
- Rieman, B.E. and J.B. Dunham. (1999). Metapopulations and salmonids: a synthesis of life history patterns and empirical observations. Boise: USDA Forest Service, Rocky Mountain Research Station; Biological Resources Research Center.
- Rieman, B.E. and J.D. McIntyre. (1993). Demographic and habitat requirements for conservation of bull trout. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Robison, Henry M., C. W. McKetta, S. S. Peterson (1996). A Study of the Effects of Changing Federal Timber Policies on Rural Communities in North Central Idaho. Moscow, Idaho. University of Idaho, Center for Business Development and Research, College of Business and Economics.
- Rosgen, D.L. (1994). A classification of natural rivers. Catena, 22: 169-199.
- Rothermal, R.C. 1991. Predicting behavior and size of crown fires in the Northern Rocky Mountains. USDA Forest Service. Intermountain Research Station. Research paper INT-438. 161 pp.
- Ruediger, B., J. Claar, S. Gniadek, B. Holt, L. Lewis, S. Mighton, B. Naney, G. Patton, T. Rinaldi, J. Trick, A. Vandehey, F. Wahl, N. Warren, D. Wenger, and A. Williamson. (2000). Canada Lynx Conservation Assessment and Strategy. USDA Forest Service, USDI Bureau of Land Management, and USDI National Park Service. Forest Service Publication #R1-00-53, Missoula, MT. 142 pp.
- Ruggiero, L., K.B. Aubry, S. W. Buskirk, L.J. Lyon, and W. J. Zielinski. (1994). The scientific basis for conserving forest carnivores: American marten, fisher, lynx, and wolverine in the western United States. General Technical Report RM-254, Fort Collins, CO. 184 pp. USDA Forest Service, Rocky Mountain Research Station.
- Schmitz, R.F. and Gibson, K.E. 1996. Douglas-fir beetle. Forest insect and disease leaflet 5. USDA Forest Service Region 1. Report R1-96-87. 7 pp.
- Shenon, P.J., and J.C. Reed (1934). Geology and Ore Deposits of the Elk City, Orogrande, Buffalo Hump, and Tenmile Districts, Idaho County, Idaho. Washington. United States Department of the Interior. Circular 9.

Smith J.K. and Fisher. (1997). INT-GTR-363: Fire ecology of the forest habitat types of northern Idaho.

- Sommer, M. (1991). <u>Soils of the Grand Fir Mosaic</u>. M.S. Thesis. Soils Department, University of Idaho, Moscow, Idaho.
- Steele, R.; Arno, S.F. and Pfister, R.D. (1976). *Preliminary forest habitat types of the Nez Perce National Forest*. USFS Intermountain Forest and Range Experimental Station.
- Steele, R., R.E. Williams, J.C.Weatherby, E.D.Reinhardt, J.T. Hoffman, R.W. Thier. 1996. Stand hazard rating for central Idaho forests. USDA Forest Service. Intermountain Research Station. General Technical Report INT-GTR-332. 29 pp.
- Stohlgren, T.J.; Chong, G.W.; Kalkhan, M.A.; Schell, L.D. (1997). "Multi-scale sampling of plant diversity: effects of minimum mapping unit size." <u>Ecological Applications</u> 7(3): 1064-1074.
- Strahler, A.N. (1964). Quantitative geomorphology of drainage basins and channel networks. In: V.T. Chow, editor: Handbook of Applied Hydrology. McGraw-Hill, New York, pp. 39-76.
- Suzuki, K.; Suzuki, H.; Binkley, D.; Stohlgren, T.J. (1999). "Aspen regeneration in the Coorado Front Trnage: differences at local and landscape scales." <u>Landscape Ecology</u> 14: 231-237.
- Tausch, J.R.; Svejar, T. and Burhardt, J.W. (1994). Patterns of annual Grass dominance on Anaho Island; implications for great basin vegetation management. In: Proceedings-Ecology and Management of Annual Rangelands. General Technical Report INT-GTR-313, Ogden, UT, USDA Forest Service, Intermountain Research Station, pp. 120-131.
- Thomas, J.A., J.G. Hallet, and M.A. O'Connell. 1997. Habitat use by snowshoe hares in managed landscapes of northeastern Washington. Washington Department of Fish & Wildlife, USDA Forest Service
- U.S. Census Bureau (2000). Idaho County, Idaho. State and County Quick Facts. <a href="http://quickfacts.census.gov/qfd/states/16/16049.html">http://quickfacts.census.gov/qfd/states/16/16049.html</a>
- USDA Forest Service. (1981). Guide for predicting sediment yields from forested watersheds. Northern and Intermountain Regions.
- USDA Forest Service. (1987). Nez Perce National Forest Plan. Nez Perce National Forest. Grangeville, Idaho.
- USDA Forest Service (1998). Northern Region Overview. Report on file at Forest headquarters. 192 pp.
- U.SDA Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (2002). Fire Effects Information System, [Online]. Available:
  <a href="http://www.fs.fed.us/database/feis/plants/tree/poptre/all.html">http://www.fs.fed.us/database/feis/plants/tree/poptre/all.html</a>. Accessed Nov. 20, 2002.

USDA Forest Service. (1998). South Fork Clearwater River Landscape Assessment. Volumes 1 and 2. Idaho County, Idaho.

- USDI National Park Service. Cultural Resources. (1995). How to Apply the National Register Criteria for Evaluation. *National Register Bulletin*, Number 15.
- U.S. Fish and Wildlife Service, Nez Perce Tribe, National Park Service, and USDA Wildlife Services. 2003. Rocky Mountain Wolf Recovery 2002 Annual Report. T. Meier, ed. USFWS, Ecological Services, 100 N Park, Suite 320, Helena MT. 64 pp.
- Vitousek, P.M. (1986). *Biological invasions and ecosystem properties: can a species make a difference*. In: "Ecology of Biological Invasion of North America and Hawaii." <u>Ecological Studies 58</u>. Springer-Verlag, New York, 163-176.
- Walker, Deward E. Jr. (1982). <u>Indians of Idaho.</u> Moscow, Idaho: University of Idaho Press.
- Walp, Mark (1986 a). *Cultural Site Record for Site 10-IH-1714*. Grangeville, Idaho. Nez Perce National Forest.
- Walp, Mark (1986 b). *Cultural Site Record for Site 10-IH-1721*. Grangeville, Idaho. Nez Perce National Forest.
- Washington Department of Wildlife. (1991). Management Recommendations for Priority Species: Black-backed Woodpecker.
- Watson, V.J.; Rice, P.M. and Monnig, E.C. (1989). "Environmental fate of Picloram used for roadside weed control." <u>Journal of Environmental Quality</u>, 18: 198-205.
- Weigel, D.E. and S. Cross. (1998). Genetic Inventory of Westslope Cutthroat Trout in the North Fork Clearwater Basin, Idaho: Annual Report 1997. Orofino, ID: Nez Perce Tribe. Prepared for Bonneville Power Administration.
- Weigel, D.E. and J. Zakrajesek. (1999). Genetic Inventory of Westslope Cutthroat Trout in the North Fork Clearwater Basin, Idaho: Annual Report 1998. Orofino, ID: Nez Perce Tribe. Prepared for Bonneville Power Administration.
- Wemple, B.C. 1994. Hydrologic integration of forest roads with stream networks in two basins, Western Cascades, Oregon. MS thesis. Oregon State University. 87 pp.
- Whisenant, S.G. (1990). Changing fire frequencies on Snake River plains: ecological and management implications. In: Proceedings-Suymposium on Cheatgrass Invasion, Shrub Die-off and Other Aspects of Shrub Biology and Management. General Technical Report INT-276, Ogden, UT, USDA Forest Service, Intermountain Research Station, 4-10.
- Williams, Gerald W. (2001). *References on the American Indian use of Fire in Ecosystems*. Washington, D.C. USDA Forest Service.
- Wolff, J.O. 1980. The role of habitat patchiness in the population dynamics of snowshoe hares. Ecological Monographs 50: 111-130

Yount, J.D. and G.J. Niemi. (1990). Recovery of lotic communities and ecosystems from disturbance – a narrative review of case studies. Environmental Management, 14(5): 547-56